



VINYL REPLACEMENT WINDOWS



RELIABLE. BEAUTIFUL. CLEARLY SUPERIOR.

What's The Benefit Of WeatherLok Vinyl Windows?

They'll Look Right At Home.



Twin double hung oriels and transom with 5/8" grid.

Maintaining wood-framed windows and doors can be a never-ending task. Fortunately, there's an alternative. WeatherLok vinyl windows and doors. They never chip, peel, fade, crack or rot, so they're virtually maintenance-free. They're easier to install, work better and last longer.

WeatherLok vinyl windows and doors also come in a wide variety of designs, glass options and colors to enhance any building style or décor. And to top it all off, we back our vinyl windows and doors with a transferable limited lifetime warranty.

Why Choose WeatherLok?

Every WeatherLok product goes through a rigorous process of quality control to be certain it meets our superior standards. In our ceaseless pursuit of excellence, WeatherLok continually looks for ways to make the best even better. This means ongoing research and development and constant engineering advances. We do all of this so that our vinyl windows and doors stand up to the ultimate building standards—yours.

It's More Energy Efficient.

It's what you don't see that makes WeatherLok more energy efficient—the patented high-performance Intercept system. The secret is the Intercept insulated glass spacer with warm-edge design hidden within the frame of each WeatherLok window and door that keeps heat and cold from passing through the glass panes.


Note: Manufacturer reserves the right to substitute components as necessary for continued product improvement.

*Screens are not meant to restrain a child from falling through an open window.

Low-E Glass



During the winter, this glass lets in natural light and keeps heat energy inside your house.




During the summer, it reflects the sun's heat energy away from your house for cooler inside temperatures.


This gives you better insulation, less condensation and greater energy savings all year.

Low-E Glass with Argon Gas

This is our premier choice for ultimate thermal efficiency. Argon gas forms an invisible blanket between glass panes and creates a buffer against outside noise. The window unit is super-tight and perfect for cooler climates.




Single Hung Window Collection.




Series 3100

The WeatherLok Series 3100 Single Hung window offers the ideal combination of quality, features, and benefits.


- All welded sash and frame
- Bottom sash tilts in
- Sloped sill for easy water run-off
- 3/4" insulated glass
- Double sash locks standard for windows with widths 27 1/4" or greater
- Available colors: white, almond
- Factory applied wrap around foam
- Factory mull is available
- Jamb depth 2.624"



#3100 SH
Single Hung



#3100 SH Triple



#3100 PW Picture Window with
#3100 SH Single Hung Flankers

Size guidelines:

- Minimum width - 16 7/8"**
- Maximum width - 51 3/4"**
- Minimum height - 23 1/2"**
- Maximum height - 89 3/4"**

Sizes are exact; maximum united inches - 132"

Double Hung Window Collection.



Series 3201

- All-welded sash and frame corners
- Both sashes operate and tilt in
- Beveled exterior for attractive appearance
- Sash latches for optimum ventilation
- Available colors: white, almond
- Jamb depth 3.250"

Size guidelines:

Minimum width - 14 1/2"

Maximum width - 54"

Minimum height - 23 1/8"

Maximum height - 91"

Sizes are exact; maximum
united inches - 126"



*In addition to 5/8" grid
between the glass, 5/8"
contoured and the 1"
contoured grid shown here
are also available on all
windows*



Series 3301

The 3301 offers unmatched quality featuring superior strength, durability, and beauty. Air infiltration is minimized by interlocking sashes.

- All-welded sash and frame corners
- Both sashes operate and tilt in
- Constant force/coil balance system
- Dual positive-action cam locks are standard on windows 27 1/4" and wider
- Optional double-strength glass
- Lifetime glass breakage warranty available
- Low-E/Argon for maximum energy efficiency and Energy Star rating
- Jamb depth 3.250"

Size guidelines:

Minimum width - 17 3/4"

Maximum width - 54"

Minimum height - 27"

Maximum height - 91"

Sizes are exact; maximum
united inches - 126"

Series 3500

WeatherLok's solid vinyl 3500 Double Hung offers all the advantages of our other double hung series. Plus, it features a welded vinyl frame and sashes for unbeatable strength and seamless beauty. And both frame and sash boast a classic beveled edge that will truly enhance your decor. WeatherLok 3500 sashes feature heavy-duty, spring-loaded night latches, plus positive-action deluxe cam locks.

- Half screen standard
- Both sashes operate and tilt in
- 25-year glass breakage warranty — standard
- Available colors: white, almond
- Low-E/Argon for maximum energy efficiency and Energy Star rating
- Constant force/coil balance for easy sash movement
- Optional Light Natural or Dark Hillside interior wood finish; Bronze exterior finish
- Optional Krypton Insulation Package
- Optional decorative glass
- Optional brass locks and grid
- Optional double-strength glass
- Optional lifetime glass breakage warranty
- Optional 1 1/8" simulated divided lite grid
- Jamb depth 3.250"

Size guidelines:


Minimum width - 17 3/4"

Maximum width - 54"


Minimum height - 26"

Maximum height - 91"


Sizes are exact; maximum
united inches - 126"



#3500 DH
Double Hung



#3500 DH Triple



#3500 PW Picture Window with
#3500 DH Double Hung Flankers




*Attractive beveled edge
adds classic charm*




*Night latch allows for
nighttime ventilation*



Casement Windows.



#700 2LT
Casement



#700 3LT Casement
(with operating side vents)
Standard configuration: 1/3, 1/3, 1/3
Optional configuration: 1/4, 1/2, 1/4


Our versatile vinyl casements crank open easily to provide ventilation (plus allow easy cleaning). And they come in a range of styles, from single vent to 5-Lite combinations of fixed and operating units.

- Beveled exterior design.
- Collapsible handle provides a popular aesthetic appeal.
- Window opens full 90° for cleaning entire surface easily from inside your home
- Full screens come standard on all casement vents
- Tandem locks come standard on all casements over 34" in height
- Available colors: white, almond
- Optional decorative grids — either colonial or diamond style
- Optional Light Natural or Dark Hillside interior wood finish; Bronze exterior finish
- Optional decorative glass
- Optional brass accents
- Optional Krypton Insulation Package
- Optional 1 1/8" simulated divided lite grid
- Jamb depth 3.250"


Casement Window Size Guidelines (exact sizes)

Model #	Widths		Heights	
	Min.	Max.	Min.	Max.
#700 Single	15 1/2"	36"	20"	72"
#700 2-Lite	31"	68"	20"	72"
#700 3-Lite (1/3,1/3,1/3)	48"	100"	20"	72"
#700 3-Lite (1/4,1/2,1/4)	67"	128"	20"	72"
#700 4-lite	64"	128"	20"	72"
#700 5-Lite	80"	158"	20"	72"
#700 Picture	12"	72"	12"	72"

Awning Windows.



#705 3LTV Stacked
Triple Vent Awning



#705 PWLT Dead Lite
Over Awning


Here's the perfect way to provide continuous controlled ventilation. Simply crank open our vinyl awning window to let in just as much fresh air as you want. Window opens to outside, keeping indoors dry even on rainy days.

- Beveled exterior design.
- Collapsible handle provides a popular aesthetic appeal.
- Full screen comes standard on all vented units
- Available colors: white, almond
- Optional decorative grids — either colonial or diamond style
- Optional snap-on nailing fin permits easy installation in new construction applications
- Optional decorative glass
- Optional Light Natural or Dark Hillside interior wood finish; Bronze exterior finish
- Optional brass accents
- Optional Krypton Insulation Package
- Optional 1 1/8" simulated divided lite grid
- Jamb depth 3.250"


Awning Window Size Guidelines (exact sizes)

Model #	Widths		Heights	
	Min.	Max.	Min.	Max.
#705 Single Vent	19"	48"	14"	36"
#705 Dead Lite Over Awning	19"	48"	33"	91"
Double Vent:				
#705 Stacked	19"	48"	30"	72"
#705 2-Wide	40"	96"	14"	36"
Triple Vent:				
#705 Stacked	19"	48"	45"	91"
#705 3-Wide	60"	144"	14"	36"

Slider Windows.



2-Lite Slider



3-Lite Slider Standard configuration: 1/4, 1/2, 1/4
Optional configuration: 1/3, 1/3, 1/3

They're beautiful. They're practical. They come in 2- and 3-Lite styles. And they feature:

- Solid vinyl frames that glide effortlessly, never need painting
- Take-out sashes for easy cleaning
- Interlocking meeting rail for extra snugness and strength
- Available colors: white, almond
- Optional decorative glass
- Optional Light Natural or Dark Hillside interior wood finish; Bronze exterior finish
- Optional brass accents
- Optional Krypton Insulation Package
- Optional 1 1/8" simulated divided lite grid
- Jamb depth: Series 120/130: 2.75"
Series 123/133: 3.250".

Slider Window Size Guidelines (exact sizes)

Model #	Widths		Heights	
	Min.	Max.	Min.	Max.
#120 2-Lite Slider	23 3/4"	79 3/4"	16 3/4"	73 3/4"
#123 2-Lite Slider	23 1/8"	84"	17 3/4"	72"
#130 3-Lite Slider (1/3,1/3,1/3)	54"	108"	16 3/4"	73 3/4"
#133 3-Lite Slider (1/3,1/3,1/3)	54"	90"	17 3/4"	72"
#130 3-Lite Slider (1/4,1/2,1/4)	71 3/4"	141 1/2"	16 3/4"	73 3/4"
#133 3-Lite Slider (1/4,1/2,1/4)	60"	120"	17 3/4"	72"

Bay/Bow Windows.




Bays and bows arrive completely assembled. So they're simple to install. Plus, you can choose either double hung or casement windows to flank the picture window. Open the flankers to provide refreshing ventilation.

Bay windows have 3 Lites: a larger central picture window plus flankers. Bow windows come in a variety of styles, ranging from 3 to 5 Lites (all equal in size).

- Available colors: white, almond
- Optional decorative glass
- Optional Light Natural or Dark Hillside interior wood finish
- Optional brass accents

1. 3201 Casement Window Flankers



Casement Window Sizes

Widths	*Heights
For casement windows with widths that fall in shaded areas, heights cannot exceed 65"	Min. - 22 1/4" Max. - 74"

*Casement / PW flanker heights

2. All-Welded Windows

Welded Window Sizes

*Exact Minimum Widths	**Heights
56 5/8" - 3-Lite Bow	Min. - 28 1/2" Max. - 74"
73 5/8" - 4-Lite Bow 72 3/8" - 30° Bay	
89 3/8" - 5-Lite Bow 68 1/8" - 45° Bay	

*3301 and 3500 All-welded DH widths

**All-welded window heights

(For exact maximum widths, use chart above.)





Garden Windows.

- Easy to install
- Virtually maintenance free
- Custom sizes available
- Casement vents have a multi-point locking system with dual locking points on heights over 36 3/4"
- E-Gard™ Chemical and Corrosive Resistant finish on all hardware
- Laminated glass roof panels adds safety and durability
- 7/8" insulated glass for maximum thermal performance
- Frames containing the roof, vents, and dead lites are factory installed in a treated 1 1/4" birch veneer wood frame
- 1" contoured or flat 5/8" grid
- Optional sill muffler for additional energy savings
- Optional plant shelf
- Available colors: white, almond



Specialty Shapes.

We'll build windows to fit your needs and specifications so you can personalize your home and boost its value while you make an architectural statement. They're easy to install and come in white or almond.



(Available in Series 3100, 3201, 3301, and 3500.)

Sliding Patio Doors.

311 Sliding Patio Door

- Fully welded frame and panel come pre-assembled for easy installation.
- Reversible design lets you locate moving panel either left or right.
- Insulated glass system resists condensation, boosts efficiency.
- Sliding panel and meeting rail are reinforced with roll-formed steel to ensure rigidity and strength.
- Aluminum track for movable panel means a smooth, easy glide.
- Interlocking panels prevent air infiltration.
- White enamel handle with lock
- Available color: White only.

312 Sliding Patio Door

- Reversible sliding panels install to open either left or right.
- Both panels come reinforced with steel for extra strength.
- Door frames come fully welded, fully assembled and complete with screen. (Most others do not.)
- Interlocking panels virtually eliminate air infiltration.
- 7/8" Insulated glass.
- High-performance tempered glass comes insulated with thermal air or optional argon gas.
- Standard screen fits easily on site.
- Deluxe color matched hardware comes with secure key lock.
- Brushed nickel hardware available.
- Available colors: White and Almond.



NOTE: Model 332 available with 4 9/16" jamb, 8' height and DP 50 rating for new construction applications. Ask for more details.

The WeatherLok Warranty.

You'll like what's behind our windows: a transferable, limited lifetime warranty on vinyl, glass, and all working parts. We register each product individually, with its own product identification number (PIN) for easy replacement of parts.

DO NOT REMOVE

MAKE DATE: 10/6/1999 WARRANTY: 02589514
SALES ORDER: 00735962

Distributed By:



WeatherLok is proud to promote energy-efficient products in conjunction with the Energy Star for Windows program.



Kids Can't Fly

Screens are not designed to restrain a child from falling through an open window. Please take proper precautions.